


OPTIMA STEAMER

THE WORLD BEST GREEN SOLUTION
OPTIMA STEAMER

The World Leader in Industrial Steam Cleaning



Scan QR code with
your smart phone
to watch OPTIMA
 YouTube Videos

COMPANY OVERVIEW

SJE Corporation, Ltd. was established in 1991 in Busan, Korea. The company focused on introducing European commercial and industrial high pressure washer to the Korean market. Within a few years, SJE Corp. became the best reseller in the Korean high pressure washer industry.

As sales volume has increased, we have worked to develop an industrial steam cleaner. After several years of trial and error, SJE Corp has launched the Optima Steamer Series in 2004.

Thanks to Optima Steamers' user-friendly application, water-saving design and excellent quality, customers in over 117 countries have benefited from steam cleaning and sanitizing.

We have been dedicated to research and development of steam cleaning equipment to meet the needs of various customers all over the world.

As a "green" manufacturer, we are proud of our commitment to high quality products, customer satisfaction and environmental conservation.



CERTIFICATION



COMPANY HISTORY

- 2020.07 Nominated as Respected Entrepreneur in S.Korea
- 2019.05 Won the 'Iron Tower' Prize of Industrial Service Merit
- 2018.04 Selected as a global Korea Jiangsu enterprise
- 2017.12 Nominated as "Human Resource Development Enterprise by Small & Medium Business Administration"
Got a Strategic Industry Leading Company Certification
- 2016.07 Won the "Grand Prize for Small and Medium Entrepreneur" awarded by the Mayor of Busan Metropolitan City
- 06 Selected as "The Best Venture Company" by the Korea Venture Business Association
- 2014.12 Nominated as "National Top 100 Human Resource Development Enterprise by Small & Medium Business Administration"
- 04 Patent for STEAM BOILER registered in the United States Patent and Trademark Office
- 2013.05 Obtained CSA(Canadian Standards Association) certification
- 2012.08 Nominated as a Global Top Rank Enterprise by Small & Medium Business Corporation
- 2011.12 Awarded the Prime Minister Citation for its contribution to export growth
- 2010.01 Established US office in California, USA
- 2009.11 Obtained a NRTL certification (qualified for "cTU-Vus") for the Optima Steamer
- 2008.07 Obtained quality certification ISO9001;2000
- 04 Obtained an EU quality certification "CE" Mark for Electromagnetic Compatibility
- 2003.05 Opened a Customer service centre & show room in Seoul, Korea.
- 1998.09 SJE took over the high pressure washer business from LG Industrial Systems Co., Ltd.
- 1991.01 Founded SeongJin Engineering Co. , professional distributor of industrial high pressure and cleaning equipment

WHY STEAM?


CLEAN ANYWHERE (Unrestricted Mobility)



The Optima Steamer allows workers to take their business on the road. This convenient all-in-one system allows the customer to wash and detail anywhere and everywhere with little to no wastewater. car with 1~2 gallon of water. This convenient all-in-one system allows the customer to wash any vehicles such as cars, airplanes, boats and camping trailers anywhere and everywhere with little to no wastewater.

SAVE WATER, SAVE TIME, SAVE MONEY

Average water consumption by Car Wash Type



The Optima Steamer's patented boiler design super heats water into what we in the industry call "Dry Vapor Steam". Dry Vapor Steam will powerfully clean while using a tiny fraction of water compared to conventional cleaning methods-such as pressure washing. Using less water and doing jobs quicker means you'll save money. Steam will allow you to offer your customers more services and for a premium rate. And because it can be used anywhere, you can offer services that you only thought possible if you installed drainage and reclamation systems.


CLEAN EXTREME



Steam sanitizes and disinfects while it cleans. Chemicals cover up odors and mask stains. Steam penetrates pores, fibers and microscopic surface abrasions. When you use the Optima Steamer to clean, you're cleaning extreme.

COVID-19

Steam Temperature from Gun Nozzle



WHO recognizes viral inactivation by heat. Temperature of 80°C (176°F) or higher on contact surfaces is known to inactivate viruses. Within 10cm, the steam of Optima Steamer carries the temperatures which are lethal against viruses.

TESTIMONIALS



1. Josh V. / Detail Green USA / California, USA

“The Optima Steamer is amazing. I’ve been detailing cars as a mobile service for about 6 years now and always hated dealing with water run-off polluting the ocean in my home town of San Diego, not to mention the city restrictions on water usage and the hassle it was to lay down a wash mat and reclaim all of my water.”

2. Mohammed Al-Showair / Advanced Cleaning Co. / Saudi Arabia

“For the last 3 years, hundreds of Middle Eastern customers have been very much satisfied with Optima Steamer so that, when they need to buy steam cleaning machine again, they always have been royal to Optima Steamer. The reason why customers choose Optima Steamer is that they value the high performance and premium quality of the Optima Steamer the most.”



3. Piyush & Parag Khokle / Steam Buddy / Chhattisgarh, India

“After using Optima Steamer, my traditional car wash business has changed to a smart and professional car wash business. With Optima Steamer, I can also provide door step service. My workers look neat and clean. My customers are now more satisfied with the internal hygiene of the car. Thank you Optima!”

4. Eun-sung Jeong / ACCEL Steam Wash / Bangkok, Thailand

features and amazing scalability of Optima Steamer. Not only Optima Steamer shows us great efficacy in car washing, but also in sterilization, cleaning of various buildings, factories, ships, containers and construction, etc. We are very confident that the Optima Steamer will be widely used in various industries and we will expand our business with Optima Steamer in Thailand.”



5. Gabor Varga / Vapor Sobre Ruedas, S.L / Malaga, Spain

“We saw a lot of potential in Optima Steamer so we decided to use the machine for other cleaning tasks such as domestic and commercial steam cleaning. The clients are highly satisfied with cleaning result as they go to bed with a peace of mind that their houses and cars are not just being cleaned but sterilized”

DIESEL STEAMER

Optima XD



Optima
XD



Optima DMF



Optima
DMF



Optima DS



Optima
DS



MODELS	XD	DMF	DS
Operating Voltage	1-Phase 100-240V	1-Phase 100-240V	1-Phase 100-240V
Operating Pressure	8.5 Bar	8.5 Bar	8.5 Bar
Max Pressure	9.5 Bar	9.5 Bar	9.5 Bar
Max. Temp. at Gun Tip	135 °C	135 °C	135 °C
Boiler Temp.	178 °C	178 °C	178 °C
Steam Flow Rate	300~1,800 cc/min	300~1,800 cc/min	300~1,800 cc/min
Preheating Time	3~4 min	3~4 min	3~4 min
Power Consumption	0.3 kW	0.3 kW	0.3 kW
Fuel Consumption	0~1.1 gal/hr	0~1.1 gal/hr	0~1.1 gal/hr
Water Tank Capacity	36 L	20 L	20 L
Fuel Tank Capacity	36 L	20 L	17 L
Net Weights	94 kg	87 kg	93 kg
Dimensions [LxWxH]	1,000 x 660 x 890 mm	1,090 x 700 x 900 mm	890 x 500 x 800 mm
Hoses/Guns Included	2 sets	2 sets	2 sets



ELECTRIC STEAMER

Optima XE Product Features



Optima EST Product Features



Optima
XE



Optima
EST

MODELS	XE 5K	XE 12K	XE 18K	XE 27K	EST 12K	EST 18K	EST 27K
Operating Voltage	1-Phase 220V ~ 240V	3-Phase 200V ~ 600V	3-Phase 200V ~ 600V	3-Phase 380V ~ 600V	3-Phase 200V ~ 600V	3-Phase 200V ~ 600V	3-Phase 380V ~ 600V
Operating Pressure	8.5 Bar	8.5 Bar	8.5 Bar	8.5 Bar	8.5 Bar	8.5 Bar	8.5 Bar
Max Pressure	9.5 Bar	9.5 Bar	9.5 Bar	9.5 Bar	9.5 Bar	9.5 Bar	9.5 Bar
Max. Temp. at Gun Tip	135 °C	135 °C	135 °C	135 °C	135 °C	135 °C	135 °C
Boiler Temp.	174 °C	174 °C	174 °C	174 °C	174 °C	174 °C	174 °C
Steam Flow Rate	300 ~ 600 cc/min	300 ~ 900 cc/min	300 ~ 1,200 cc/min	300 ~ 1,700 cc/min	300 ~ 900 cc/min	300 ~ 1,200 cc/min	300 ~ 1,700 cc/min
Preheating Time	20~21 min	10~11 min	7~8 min	8~9 min	10~11 min	7~8 min	8~9 min
Power Consumption	5.2 kW	12.2 kW	18.2 kW	27.2 kW	12.2 kW	18.2 kW	27.2 kW
Water Tank Capacity	72 L	72 L	72 L	72 L	40 L	40 L	40 L
Net Weights	85 kg	85 kg	85 kg	92 kg	74 kg	74 kg	83 kg
Dimensions [LxWxH]	1,000 x 660 x 890 mm	1,000 x 660 x 890 mm	1,000 x 660 x 890 mm	1,000 x 660 x 890 mm	1,090 x 700 x 900 mm	1,090 x 700 x 900 mm	1,090 x 700 x 900 mm
Hoses/Guns Included	1 set	1 set	2 sets	2 sets	1 set	2 sets	2 sets

FOOD-GRADE ELECTRIC STEAMER

Optima SE II Product Features



Optima
SE II

MODELS	SEII 18K	SEII 27K	SEII 42K	SEII 18K ASME	SEII 27K ASME	SEII 42K ASME
Operating Voltage	3-Phase 200V ~ 600V	3-Phase 380V ~ 600V	3-Phase 380V ~ 600V	3-Phase 200V ~ 600V	3-Phase 380V ~ 600V	3-Phase 380V ~ 600V
Operating Pressure	8.5 Bar	8.5 Bar	8.5 Bar	8.5 Bar	8.5 Bar	8.5 Bar
Max Pressure	9.5 Bar	9.5 Bar	9.5 Bar	9.5 Bar	9.5 Bar	9.5 Bar
Max. Temp. at Gun Tip	135 °C	135 °C	135 °C	135 °C	135 °C	135 °C
Boiler Temp.	174 °C	174 °C	174 °C	174 °C	174 °C	174 °C
Steam Flow Rate	300 ~ 1,200 cc/min	300 ~ 1,700 cc/min	300 ~ 1,900 cc/min	300 ~ 1,200 cc/min	300 ~ 1,700 cc/min	300 ~ 1,900 cc/min
Preheating Time	7~8 min	8~9 min	8~9 min	7~8 min	8~9 min	8~9 min
Power Consumption	18.2 kW	27.2 kW	42.2 kW	18.2 kW	27.2 kW	42.2 kW
Water Tank Capacity	38 L	38 L	38 L	38 L	38 L	38 L
Boiler Material	304 Stainless steel	304 Stainless steel	304 Stainless steel	Carbon Steel (ASME)	Carbon Steel (ASME)	Carbon Steel (ASME)
Body Material	304 Stainless steel	304 Stainless steel	304 Stainless steel	304 Stainless steel	304 Stainless steel	304 Stainless steel
Net Weights	103 kg	110 kg	119 kg	119 kg	128 kg	144 kg
Dimensions [LxWxH]	910 x 560 x 870 mm	910 x 560 x 870 mm	910 x 560 x 870 mm	910 x 560 x 870 mm	910 x 560 x 870 mm	910 x 560 x 870 mm
Hoses/Guns Included	2 sets	2 sets	2 sets	2 sets	2 sets	2 sets



VACUUM CLEANERS & WET EXTRACTOR

Mirage 1215



Mirage
1215



Mirage 1629



Mirage
1629



GS2/62 EXT



GS2/62 EXT



	Mirage 1215	Mirage 1629	GS2/62 EXT
Operating Voltage	1Ph, 220V ~ 240V 50Hz/60Hz	1Ph, 220V ~ 240V 50Hz/60Hz	1Ph, 220V ~ 240V 50Hz/60Hz
Motor Power	1,000W (Max. 1,200W)	2,000W (Max. 2,400W)	2,100W (Max. 2,500W)
Vacuum Depression	2,200 mmHgO	2,200 mmHgO	2,200 mmHgO
Air Flow	170 m³ / hour	340 m³ / hour	340 m³ / hour
Tank Capacity	25 L (6.6 gal)	62 L (16.4 gal)	Waste Tank: 62 L (16.4 gal) Detergent Tank: 25 L (6.6 gal)
Suction Hose	Diameter: 36mm [1.41"], Length: 3m [9'8"]	Diameter: 40mm [1.57"], Length: 4m [13'1"]	Diameter: 40mm [1.57"], Length: 2.5m [8'2"]
Dry and Wet	Dry/Wet	Dry/Wet	Wet
Tank Material	Stainless Steel	Stainless Steel	Stainless Steel
Net Weight	10 kg / 22 lb	25 kg / 55.1 lb	27 kg / 59.5 lb
Dimensions [LxWxH]	390 x 390 x 620 mm	600 x 600 x 960 mm	550 x 600 x 960 mm

ACCESSORIES – OPTIMA STEAMER

No. A70015



Steam Gun K26

No. A70024



Power Steam Gun RL37

No. A70019



Power Steam Gun RL22

No. A70274



Steam Gun K26 with Quick Couper

No. 85-50047



Steam Gun K26 with quick coupler, KC35

No. 85-50056




Floor Spinner with Quick Plug, KPS45

No. 85-50038




Weed Control, Roller

No. 85-53006




Floor brush, KPS45

No. 85-50037




Weed Control, Flat

No. 85-50036



Weed Control, Spear

No. 85-50035



Weed Control, Brush

No. 85-50077/85-50078/85-50064/85-50063



Lance with Broush Holder + Quick Plug, KPS45 L250/400/700/1000

No. 85-50079/85-50080/85-50060/85-50061



Steam Nozzle + Quick Plug, KPS45 L300/500/600/1000

No. A70947



Steam Gun with Combination Brush Kit

No. A70948




Steam Gun with Combination Scrubber Kit

No. A70026



Steam Nozzle 3.5 + Quick Plug

No. A71607



Silence Steam Nozzle + Quick Plug

No. A71608



Turbo Steam Nozzle with Quick Plug



ACCESSORIES – OPTIMA STEAMER

No. A70025



Flat Fan Nozzle 50 + Quick Plug

No. A70247



Flat Nozzle 50 + Quick Plug

No. 85-50212



Flat nozzle L.100 +SCP30

No. 85-50179



Steam Extractor Hand Tool V.2

No. 85-50088



Heat-Resistant Vacuum Hose D.38, 3m

No. A70030



Steam Hose

No. A70039



Power Steam Hose

No. 85-50051



Spray Bottle 350ml with Quick Plug

No. 85-50135



Barrel Wand with Bimetal Thermometer 4V.

No. 85-50094



Omega Softener kit

No. 70284



Round Brush D.100 Nylon

No. 71391



Brush with Polyester Bristles 60mm

No. 71392



Small Brush with Polyester Bristles 30mm

No. 71393



Small Brush with Steel Bristles 30mm

No. 71394




Plastic Scraper 50mm

No. 85-50091



Mop wand with squeegee

No. 85-50201/85-50180/85-50200



Conveyor Cleaning Tool (Pneumatic)
24 inch / 39 inch / 48 inch

Scan here to check More Accessories



MOBILE CAR WASH



Make Your Car Gleam with Steam!

The steam generated by the Optima Steamer is hot enough to lift off any grease and soilage. It produces enough pressure to break down dirt, caked-on dust and mud efficiently.

Comprehensive Car Cleaning Services at Your Doorstep!

It is becoming a global trend to get your car washed by on-demand, Smart App-based mobile car cleaning services. Once you make an on-line booking via Mobile App., mobile van will come to your location and take care of your car while you go about your day.

AUTO DETAILING & REPAIR



Complete & Simplified Operation

Steam is now a vital part of the automotive repair industry. The Optima Steamer leaves no residue and dries almost instantly, avoiding the hassles of clean-up and wastewater runoff.

The Optima Steamer also speeds up the cleaning process by easily removing compound in the tightest cracks and crevices.

A Clean Automotive Facility Leaves a Good Impression on Customers

The Optima Steamer not only cleans cars, but also keeps your shops in spotless condition. Remove grease residue, oil stains, and other blemishes from your equipment to maintain your shop's presentation.

MOTORBIKE, RV, TRUCK & BUS

Clean All Modes of Transportation with the Optima Steamer

Modern engines almost require cleaning with vapor steam, a cleaning method that's safe with today's sophisticated electronics and sensitive infrastructures. The Optima Steamer not only thoroughly washes your vehicles, but also sanitizes the interior and refurbishes greasy engine parts anew.

A New Innovative & Green Niche

Where a pressure washer consumes 150 to 300 litres of water, a steam cleaner can cut that amount down to about 4 litres per a vehicle wash. It can also reach the tightest spaces and fittings that would otherwise be completely inaccessible with a pressure washer.



FOOD PROCESSING




Total Sanitation

Most of pathogens are known to be eliminated at 78°C. The Optima Steamer is constantly able to produce hot dry steam at a pressure and temperature of 8.5–9.5 bar and 100–135°C at the nozzle tip, ensuring total sanitation of unwanted micro-organisms.



Clean and Sanitize Hard-To-Reach Areas

If your preparation area is older with scratches, dents, visible cracks or rusted and pitted areas allowing food particles trapped and bacteria to multiply, it may be impossible to clean using the method described in your SSOP. Steam cleaning might get the area “clean enough”



WINERY & BREWERY



Thorough Sanitation via Dry Steam

The Optima Steamer is ideal for the wine industry, making cleaning operations throughout the facility simple and more effective. Dry vapor steam travels much faster than liquid water and can reach deep into harborage areas and the wood pores of barrels. This allows for thorough sanitation, killing Brett and Zygo as well as countless other microorganisms.

Barrel Cleaning

Nooks and crannies are the favorite places for bacteria to hide in barrels, but being in gaseous form, steam will effectively penetrate the cellulous structure of the wood. Also with the high temperature, tartrate removal is considerably easier, taking far less time and using virtually no water.

EXTERIOR & HARD SURFACE CLEANING



Unsurpassed Standards of Exterior Surface Cleaning

Graffiti, unwanted tagging and marking on the street posts, bulletin boards and building walls tend to spread like a virus. It is a big job to remove layers of layers of paints and taggings by the conventional cleaning method which is extremely laborious, difficult and also very inefficient, usually leaving the surface wet and damaged.

Hassle-Free Cleaning System

The Optima Steamer removes graffiti and taggings using a fraction of water than conventional methods without chemicals and intensive scrubbing. Steam heat and pressure break them up for easy removal and an overall quicker cleaning process without damaging the original material.



HVAC


Why Clean Coils?

Cooling coils trap dust, soil, grime, and other troublesome deposits that reduce the heat transfer efficiency of HVAC units. Although a coil may look clean on the surface, the majority of the debris is logged within the coil. What most people see is dirt accumulation on the fins that are designed to protect the coil. The coil which we usually do not see is located inside behind the fins.

Save Energy and Money

A sandwich wrapping thickness of debris on AC coils can increase energy consumption over 20% which requires more electricity and in turn, this will result in higher utility bills.

Removal of built-up dirt and grime from cooling coils with Optima Steamer improves system efficiency, reduces electricity consumption, and ensures a long operating life of the unit.



SOLAR PANEL



Why Clean Solar Panels?

Solar panels are designed to absorb the sun's rays as a source of energy for generating electricity or heating. Due to the upwards angle of solar panels, they are more prone to bird droppings, dust and dirt that does not wash off with just rain. This build-up of dust, dirt, pollen, bird droppings and other debris reduce the amount of light hitting the panels and adversely affect optimal Solar Panel Efficiency.

Cleaning Solar Panels That Had Been in Operation for 15 Months Doubled Their Output of Electricity.

Rain is not a satisfying way of cleaning solar panels. Solar panels that were cleaned professionally had a 12% higher output of electricity compared to those cleaned by rain. This literally means that they will generate 15-25% less electricity and this easily adds a couple of years extra on the payback time.




RESIDENTIAL CLEANING

A Professional Cleaning Solution to Help Prevent Harmful Bacteria

Bacteria are everywhere, but some areas are more likely to breed harmful bacteria. Dust mites, allergens and bacteria are all seeking asylum in your mattresses and carpets. As you clock in your 8 hours of sleep, you are also breathing in allergens that can cause asthma. Optima Steamer specializes in deep cleaning, sanitizing and deodorizing with chemical-free approach, leaving no water residue behind.

Better for Your Family Members


Cleaning with steam protects you and your family. Unlike detergents, the condensed steam leaves no potentially allergy-inducing residues behind on the surfaces it cleans. This is particularly important for small children who like to put things in their mouths. Accidents caused by using the wrong cleaning agent, skin irritation or other negative health effects are no longer an issue thanks to steam.






MEDICAL

Reduction in the Microbial Load on High-Touch Surfaces in Hospital Rooms by Treatment with a Portable Dry Steam Vapor



the Optima Steamer reduced bacterial levels by 100% and reduced pathogen levels on most surfaces to below the detection limit after 4 seconds of steam spraying. The Optima Steamer provides a means to reduce levels of microorganisms on hospital surfaces without the drawbacks associated with chemicals, and may decrease the risk of cross-contamination.

Coronavirus Disease 2019 (COVID-19)



Within 10cm, the steam of Optima Steamer carries the temperatures which are lethal against viruses. Provision of safe water, sanitation and waste management and hygienic conditions is essential for preventing and for protecting human health during all infectious disease outbreaks, including coronavirus disease 2019 (COVID-19)



URBAN WEEDING



Environmental Alternative for Urban Weeding

Currently, weeding in urban areas is usually carried out by responsible authorities/organizations using a variety of harmful chemicals. These chemicals usually corrode the surrounding area and ultimately harm the environment. The Optima Steamer generates pressurized high temperature steam which bursts the cells of the plants and sterilizes the soil. This leads to restriction and stunting of new growth. This is achieved without harm to the surrounding vegetation by using a directional spray gun. Optima Steamer is also able to disinfect general urban areas.



Picture taken immediately after the Optima Treatment



Picture taken **ONE DAY LATER**



Picture taken **THREE DAYS LATER**

MARINE




Safely Remove Dirt and Mold

Fiberglass material can be easily stained and damaged with traditional cleaning chemicals, whereas the light pressure of steam safely removes dirt and odours from all surfaces. It will sterilizes a boat's interior, killing bacteria, germs and other nasties from soft fabrics and upholstery.

The Tough Job Expert

Steam supports the regular maintenance of the hull by loosening barnacles and killing mould while preserving the wax on surfaces so your hard labour won't be lost. Using steam to maintain your boat prevents future complications and protects its long-term re-sale value.

OPTIMA STEAMER GLOBAL NETWORK



78-21, Sandan 7-ro, Jeonggwan-eup, Gijang-gun, Busan, South Korea
Email : sales@sjecorp.com Web : www.sjecorp.com Tel. +82-51-521-3200



C203, 40, Imi-ro, Uiwang-si, Gyeonggi-do, South Korea
Email : info@sjecorp.co.kr Web : www.sjecorp.co.kr Tel. +82-31-423-1616



California, USA
Email : sales@steamerics.com Web : www.steamerics.com Tel. +1 844 US STEAM